Subject Index

Abducens nucleus, 204, 207
Acceleration. *See* Linear acceleration and Angular acceleration
Accessory optic system (AOS), 156, 170, 180
  directional selectivity and the vestibular system, 177
    common geometrical organization, 177
  neurons, directional selectivity, 171. *See also* Neurons, accessory optic system
  spatial coordinates, 156
Alpha-gamma motoneuron activity, 100, 101
Angular acceleration, 53
Angular eye position, not the integral of angular eye velocity, 135
Angular locomotion, gaze compensation, 243
Angular velocity vector, 129, 131, 133
  application to eye movements in three dimensions, 139
  definition, 128
Anterior canal related neurons, projection to oculomotor system, 209
Antigravity postural mechanisms, 21
AOS. *See* Accessory optic system
Atlanto-occipital joint
  in guinea pig at rest, 229
  range of motion in guinea pig, 231, 232
Axes of rotation of saccades, 128–139
Axis
  null, 12, 14–19
  pitch, 21
  roll, 21
  X, 11, 12, 14, 15
  Y, 14, 15
  yaw, dominance for velocity storage, 89
  Z, 12, 14, 15

Barbeque spit rotation, 7, 33
Bender, M. B., bilateral lesions are necessary to produce vertical paralysis of gaze, 152, 241
Bernstein, N., 211
  preferred axes for motor activity coordinate multiarticular systems, 228
Bipedal gait, 242
Body orientation, three-dimensional representation, 93, 102
Body vertical, relation to velocity storage, 89
Brachium of the superior colliculus (BSC), 180

Canal-based coordinate frame, 239, 240, 242
  coordinate system, 239, 245
    in the subcortical visual and vestibular systems, 241
  implications for CNS organization, 241, 242
Canal geometry, 241
Canal plugging, 24–27
  neural populations activated by gravity, 23 (table)
Canals on each side are approximately planar and orthogonal, 239
Cat, 21–27, 216, 217
  decerebellate, 24
  decerebrate, 21–27, 203–213
    with intact labyrinths, 24
  horizontal plane, 23
  neck muscles, 216
  projections of LVST and MVST axons, 216–227
  quadripedal stance, 27
Cerebellar nuclei, 47
Cerebellum, 47, 48
Cervical collaterals of LVST axons projecting to thoracic or lumbar cord, 221
Cervical interneurons, 23–27
Cervical vertebral column
  articular range of motion, 231, 232
  curvature of cervical column at rest, 229
  degrees of freedom of articulations, 228–234
  extension movements take place at C1 to C5, 233
  flexion movements take place at C5–Th1, 233
  forward-backward movements in the cervical chain, 242
  geometry determines head movement from resting posture, 228–238
  method of measuring vertebral orientations, 232
  motoneurons receiving vestibular afferents after hemilabyrinthectomy, 236
  orientation in cat, rabbit, guinea pig, rat, 230
  range of motion in guinea pig, 230–234
  rotation and lateral tilts, 242
  rotation of upper cervical vertebrae after hemilabyrinthectomy, 234
  sigmoid shape as a shock absorbing system, 230
  vertical orientation at rest, 229
Cineradiography in vertebrates for determining head and neck posture, 228–238

Circularvection, 53, 199, 244. *See also* Vection
Coding
  body position and velocity in space, 244
  Donders, for position rather than movement, 124
  spatial, of reflexes, 23
  spatial properties of neurons, 23
Collaterals of LVST axons, morphology, 219
Compensatory eye movements, 152, 154, 156, 159
  geometry, 154–155
Compensatory neck movements, 216
Constant of proportionality, hair cells and polarization vector, 22
Convergence
  multisensory, 7
  of vertical canal activity to activate vertical eye muscles, 207–209
  of vestibular activity to produce neck muscle activation, 213
Coordinate axes of saccades, fixed in the head, 130
Coordinate frame. *See* Canal-based coordinate frame
Coordinate framework for eye movements, 240
Coordinate systems, 140, 141
  canal, 52
  cyclopian sensor, 52, 53
  eye muscles, 10, 11, 152. *See also* Eye muscles
  Fick, Helmholtz, and Listing coordinates for eye position, 140
  head, 52, 82–84
  labyrinthine, 152
  natural, 149
  otolith, 52
  quaternion angular velocity vectors, 129
  semicircular canal-based, 10, 11, 239, 242
  three-dimensional, 21
Coriolis cross-coupling, 93, 95, 99
Coriolis force, 101
Cortical vestibular area, 187, 190
Cosine functions, 22, 23, 32
  to estimate response strength of eye muscle responses to VOR, 205–208
Counterrolling
  dynamic, 115–117, 123
    contribution of the semicircular canals, 116, 117
    contribution of vision, 116, 117
    visual orientation during, 123
  static, 114
Craniotopic eye velocity, subtractive model cannot predict, 139
Cross-coupling of optokinetic after-nystagmus, 74–92
  definition, 74
  horizontal to roll, 77–80, 243
  horizontal to vertical, 77–83, 243
  principle of organization, 80–86
  relation to gravity, 86–90
Cutaneous receptors, type I & II, 54
Cyclopian system, 52, 53
Cyclorotational instability, 107, 108
Cyclotorsional limits, leash effect, 122
Cyclovergence, 124

Directional selectivity. *See* Neuron, directional selectivity
Directional specificity in the retina, 240
Donders, F. C., 105, 106
  coding for position rather than movement, 124
  direction-dependent violations during torsional pursuit, 113, 114
  laws of ocular kinematics, 105
  validity, 114, 124, 125
  violation of laws in dynamic torsion, 111–114
Dorsal terminal nucleus of the accessory optic tract (DTN), 170, 180
  horizontal movement selectivity, 170
  input-output connections, 170
Downward gaze, neck contribution, 233
DTN. *See* Dorsal terminal nucleus of the accessory optic tract
Dumping velocity storage, 46, 96, 98

Earth-horizontal axis. *See* Rotation
Earth-vertical axis. *See* Rotation
Earth-vertical plane, 21
Eigenvector of OKAN, 88
Eighth nerve. *See* Vestibular nerve
Elasmobranchs, 239
Electromyogram, 24
Electromyographic activity of eye muscles during VOR, 203, 204, 213
Electro-oculography (EOG), 11, 94
Endolymph, streamline flow, 17, 18
Engerer Blickraum, 5
EOG. *See* Electro-oculography
Evolution of semicircular canals, 161, 162, 166
Ewald, I. R., 1, 3
Excitation vector, 35. *See also* Vector
Extraocular muscles, 141, 203–206
  alignment with semicircular canal planes, 152
  muscle systems, 166
  organization in various species, 163–166
  pulling planes, 154–156
  response vectors, 207
Extraocular motoneurons
  on-directions, 152
  organization in various species, 163–165

Eye-head coordination, 156
Eye-head coupling in rabbit, cat, and monkey, 228
Eye movement recording techniques
  electro-oculography (EOG), 11
  interaction with blinks, 108
  orthogonal search coils, 76, 129, 142
  scleral search coil, for three-dimensional ocular recording, 106, 107
Eye movements, eye-head coupling in rabbit, cat, and monkey, 228
Eye muscles, 241. *See also* Extraocular muscles
  coordinates, 3, 5, 6, 10, 11
  geometry of, 10, 155
  pulling directions, 1, 5
  and semicircular canal planes, 10, 11. *See also* Semicircular canals
Eye position quaternion, 130, 135
  angular velocity vector and, 138
Eye velocity integrator, 185. *See also* Velocity storage, integrator
Eye velocity vector for visually elicited saccades with the head fixed, 128
Eye velocity vectors, 134

Fick, A., 5, 6
Fick angles, 141
Fick coordinates, 106, 138
  ocular torsion, 109
Fixation
  drift in primary position in three dimensions, 107, 108
  ocular torsion in tertiary positions, 109
Flight
  orbital, 93
  parabolic, 93–98
Flocculus, 156
Flourens, M., 1
Fore-aft accelerations, 243
Free fall, 93
Frontal eye fields, 152
Functional polarization vector, 22

Gaze
  compensation during angular locomotion, 243
  downward, neck contribution, 233
  in moving subject, 244
  nystagmus, 108
  stability in three dimensions, 118-121, 120
  stabilization, 244
  three-dimensional organization in humans, 105–127
Geometrical features and constraints of vestibulocollic reflex, 236
Geometrical organization
  of medial terminal nucleus and semicircular canals, 177
  of retinal ganglion cells, AOS, and semicircular canals, 177
Geometry
  of compensatory eye movements, 154–155
  of eye muscles, 10, 155
  of semicircular canals, 1, 5, 10, 154, 155, 239, 241
  skeletal, including use of cineradiography for measurement of posture, 228–238
  of vestibulo-ocular interactions, 204, 207–209
Gravitational environment, 239, 245
Gravitational field, 21, 33
  effects on scalloping illusory movement of arm and body, 99–101
Gravitoinertial force, 53
Gravity, 2, 21, 31, 32, 33, 35, 243
  effects on OKN, OKAN, 74–90
Gray, A. A., 1
Guinea pig
  atlanto-occipital joint, 229, 231, 232
  method of measuring vertebral orientations, 232
  posture after hemilabyrinthectomy, 234–236
  range of motion of cervical articulations, 230–234
  resting posture, 229
Gyroscopic mechanism and OKAN, 90

Hair cells, 22
Head and body movement in three-dimensional space, 239, 240, 242
Head coordinates, 52, 82–84
Head-fixed reference frame, 11
Head-fixed saccades, axes of rotation, 128
Head movements
  posture underlying eye-head coordination, 228–237
  relationship between eye and head movements, 228
  rotation axis is colinear to gravity, 230
  tilt in frontal plane, vertebral contribution, 233
  vertebral contributions, 233
Head position and head velocity on the body, 244
Head rotation axes, 209, 210
Head tilt, 21, 22
  horizontal component, 119
  stimulus vector, 22
Head velocity, 47
  estimator, 45, 47
  information in three dimensions, 241

Helmholtz, H. v., 5, 6, 141
on Listing's Law, 125
prediction of saccade axes, 138
Hemilabyrinthectomy
leg displacement in guinea pig, 235
postural changes in guinea pig, 234–236
radiograph, 235
Hering, E., 5
Horizontal eye movement pathways, 163–165
Horizontal movement selectivity, neurons in DTN, 170
Horizontal saccades of humans, 128, 132
Horseradish peroxidase (HRP), 190
intra-axonal, 149
staining of LVST and MVST neurons, 216–227
Human vestibular time constant, 98

Illusion
after-rotation, 97, 98
Aubert, 67
elevator, 67
Muller, 67
oculogyral, 61
scalloping movement of arm and body, effects of gravity, 99–102
tilt, 63, 67
Inferior olive, 156, 170, 171, 177, 180, 181, 240
dorsal cap input from NOT and DTN, 180
dorsal cap neurons
receptor field organization, 170, 171
relation to VTRZ neurons, 176
input from accessory optic system, 170
input from NOT and DTN, 180, 181
ventrolateral outgrowth, input from VTRZ, 170
Interneurons
spinal, roll, and pitch response, 24–27
vector coding properties, 25–27
Intra-axonal horseradish peroxidase, 149
Isoburst scatter diagram, 145

Jerk vector, 29

Kalman filter, 54, 56, 58–61, 63, 65–68, 72–73
Kalman gain, 55, 56
Kinocilium, 22

Labyrinths, 166
casts, 1, 4
comparative morphology, 161
intact, neural populations stimulated by gravity, 23
phylogenetic aspects of development, 161–163
rhesus monkey, 4
stereoscopic photographs, 2
three-dimensional movement detection device, 154, 155, 166
Laminae of Rexed. *See* Rexed's laminae
LA-RP plane. *See* Semicircular canals, left anterior–right posterior plane
Lateral rectus, activation by rotation, 206
Lateral terminal nucleus (LTN), 177
vertical movement selectivity, 177
Lateral vestibular nucleus (LVN), 217
monosynaptic excitation of quadriceps and gastrocnemius motoneurons by LVN stimulation, 223
Lateral vestibulospinal tract (LVST), 216-227
axons exerting monosynaptic effects on neck and back motoneurons, 223
axons of the lateral type, 221, 222
influence forelimb and hindlimb muscles, 226
synaptic contacts on axial motoneurons, 223
terminal boutons, 222
axons of the medial type, 219, 220
control different axial muscles, particularly Mm dorsi proprii, 226
morphology of axon collaterals, 218, 219
synaptic contacts with motoneurons in ventromedial nucleus in lamina VIII, 226
terminal boutons, 222
axon terminations on distal dendrites, 220, 221
axosomatic and axodendritic contacts, 221
branching patterns of LVST axons in the lower cervical cord, 219, 220
cervical collaterals of LVST axons, 221
comparison of intraspinal branching patterns of MVST and LVST axons, 223
distribution of terminal boutons, 221
morphology of single LVST axons, 217
multiple collaterals from single LVST axons, 226
Leash effect, ocular torsion, forced cycloduction, 122
Leg displacement in guinea pig after hemilabyrinthectomy, 235
Limb
motoneurons, 25
reflexes, 25
Linear acceleration, 21, 23, 31, 53
bias of lateral (roll) over fore-aft in vestibulospinal neurons, 24–27, 243

fore-aft, 27, 243
lateral, 27, 243
Linear accelerometers, 53
Linear estimator, 54
Linearvection, 53, 64, 66, 244. *See also* Vection
Listing, J. B., 5, 141
Fick and Helmholtz, 240
Listing's Law of ocular kinematics, 105, 129, 131, 132, 135, 138, 139
definition, 128
in terms of quaternions, 129
Listing's Law box, 125
possible functional advantages, 125
predictions in dynamic conditions, 111–114
torsion a function of horizontal and vertical eye position, 241
validity
during ocular pursuit, 114
during static fixation, 109–111, 125
Listing's plane, 129, 130, 131, 132, 133, 138
definition, 128, 129
LTN. *See* Lateral terminal nucleus
LVN. *See* Lateral vestibular nucleus
LVST. *See* Lateral vestibulospinal tract

Mach, E., 1
Macula, 29, 30, 31, 32, 33, 43, 48
Man, three-dimensional coordinate system, 21, 93–103
Matrix, 37, 38, 68–71
nonlinear operator, 75
Pellionisz, A., development of tensorial neck muscle model system, 211–212
Ricatti equation, 72
Robinson, matrix model of VOR, 51, 211
rotation, 140
Medial longitudinal fasciculus (MLF), 217
Medial superior temporal gyrus (MST), 200, 240
Medial temporal gyrus (MT), 200, 240
Medial terminal nucleus (MTN), 170–177
bipartite neurons, 174
characteristics of neurons, 170–177
difference between MTN and DTN neurons, 177
noncolinear direction selectivity, 172
preferred directions of neurons, 173–176
and semicircular canals, common geometrical organization, 177
uniform receptive fields of neurons, 173
vertical movement selectivity, 177
visual receptive stimulation, 171
Medial vestibulospinal tract (MVST), 217, 223–227
axonal projections to neck motoneurons, 225
comparison of intraspinal branching patterns of MVST and LVST axons, 223
control multiple muscles concurrently, 225
convergent inputs from different semicircular canals, 216
crossing of stem axons near the vestibular nuclei, 223
mediate semicircular canal–induced head movements, 226
morphology of single axons in the upper cervical cord, 223–226
multiple axon collaterals, 226
projections to motor nuclei in the upper cervical cord, 223, 226
reconstruction of uncrossed MVST axons in upper cervical cord, 223, 224
semicircular canal input, divergence, 226
single MVST axons in the upper cervical cord, 223
uncrossed axon in upper cervical cord, 224
Methods, scleral search coil, for three dimensional ocular recording, 106, 107
interaction with blinks, 108
Microgravity, 244
and hypergravity, 243
MLF. *See* Medial longitudinal fasciculus
Model
afferent information, 32
central processor, 54–59
comparison of multiplicative quaternion and subtractive models, 134–138
controller task performance, 52
degrees of freedom, 52
head-neck proprioception, 55
human spatial orientation, 51–73
human vestibular system dynamics, 52
Kalman filter, 54, 56, 58–61, 63, 65–68, 72–73
Kleinman, Baron, and Levison, 52
linear estimator, 55
man-in-the-loop manual control tasks, 52
multiplicative model of eye velocity, 138
multisensory perception, 55, 56
nonlinear additions to Kalman filter, 65–67
off-vertical axis rotation (OVAR), 29
simulation, 30, 40, 43, 46, 47, 48
one-dimensional, optokinetic, and vestibulo-ocular reflexes, 74, 75
optimal control, 51–73, 244
orientation perception, 51
Ormsby and Young, 51, 52
OVAR. *See* Off-vertical axis rotation
otolith, 53
predictions
of neck muscle activation by tensorial model, 210–212

Model *(continued)*
of quaternion and other saccadic models, 135–138
quaternion model of the saccadic system, 128, 135, 138
Raphan, Cohen, and Matsuo, 51, 52
Robinson
one-dimensional model of saccades, 134, 135
optokinetic, 51, 52
rotational motion, 51
saccadic system, 134–138
semicircular canal, 53, 71
subtractive feedback model of saccadic system, 128, 134–138
in Fick coordinates, 138
in Helmholtz coordinates, 138
quaternion model, 134, 139
one-dimensional, 134
three-dimensional, 134
tactile, 54
three-dimensional, optokinetic and vestibulo-ocular reflexes, 75
time response, Kalman filter, 59–65
velocity storage, 75
vestibular, 53, 57, 58, 64, 66
visual-vestibular interaction, 55–62, 75
visual input to velocity storage, 75
Zacharias and Young, 51, 52
Monkeys, 48, 74, 180, 181, 185
cynomolgus, (*Java, Macaca fascicularis*), 76, 187–202
rhesus, 4, 74, 76, 141–143, 149
semicircular canal planes, 10–19. *See also* Semicircular canals
squirrel (*Saimiri sciureus*), 22, 187–202
vestibular cortex, 187–202
vestibular time constant, 98
Moore-Penrose pseudoinverse, 211, 212
Motion sickness, 51, 67, 89
absence in Spacelab M-131 experiment, 93, 95, 99
space motion sickness, 93, 99
Motoneuron, 142, 143, 217
axial muscles, 223
neck muscles, 216, 226
convergent input from different semicircular canals, 216
organization of extraocular motoneurons in various species, 163–165
ventromedial nucleus, 223
See also Extraocular motoneurons
Motor error signal, 138
three degrees of freedom, 139
MST. *See* Medial superior temporal gyrus
MT. *See* Medial temporal gyrus
MTN. *See* Medial terminal nucleus
Multimodal integration cortex, 198. *See also* Parietoinsular vestibular cortex
Multiplicative computation of motor error in quaternion model, 128
Multisensory perception model, 55, 56
Muscimol, 143, 147, 151
Muscle
extensor, 24
forelimb, 24
infraspinalis, 24
length and tension, contribution to model, 54
neck, 156. *See also* Neck muscles
spindle
effects of microgravity, 100, 101
response to lateral gravitoinertial force, 54
sensitivity to gravitoinertial force, 100, 101
splenius, biventer cervicis, complexus, 225
sternocleidomastoid, 101
supraspinalis, 24
triceps, 24
MVST. *See* Medial vestibulospinal tract

Neck muscles, 203, 209–213
anatomical and functional constraints for motor control, 211
cat, 216
comparison of actual and model predictions for activation, 210–212
degrees of freedom in movement, 209
dorsal tonus is minimal in upright position, 230
electromyographic responses, 203
hypotheses for selection of response vectors, 213
independent control of cervical joints, 211
muscle synergies simplify motor coordination, 213
receptors, 1
response vectors, 209–213
as target for vestibular afferent inputs after hemilabyrinthectomy, 236
Neurons, 149, 152
abducens neurons identified by antidromic stimulation, 207
accessory optic system, 170–177
directionally selective retinal ganglion cells, relation to semicircular canals, 177
direction preferences, 170–177
direction selectivity, 170–177, 179
MTN. *See* Medial terminal nucleus
preferred axes, 177
preferred excitatory and inhibitory directions of MTN neurons, 175
speed selectivity, 170

burst, 145–147, 150, 512
activity depicted as a vector, 143
directed, 145
horizontal, 149
isoburst scatter diagram, 145
long-lead burst neurons, 145
on-directions, 147
on-directions of cells producing vertical and torsional saccades, 241
PPRF on-directions, 152
riMLF on-directions, 152
riMLF subpopulations, 152
second order vestibular, 152. *See also* Semicircular canals *and* Neurons
short-lead (SBN), 142, 145
coding velocity commands, implications, 128, 138
three-dimensional frequency tuning, 145
two-dimensional frequency tuning, 145
unit, definition, 143
vertical, 141
central vestibular, otolith coding is vectorial, 243
DTN. *See* Dorsal terminal nucleus
inhibitory interneurons, group Ia, 221
irregularly discharging, 53
MTN. *See* Medial terminal nucleus
nucleus of the optic tract, characteristics, 180–185
activation by spots of light, 181, 182
directional selectivity, 181
preferred directions, 181, 182
preferred velocity, 184
receptive field size, 182
retinal slip velocity of neurons, 182, 183
on-directions of cells producing vertical and torsional saccades, 241
parietoinsular vestibular cortex (PIVC), 187–202
complex multimodal interactions, 197
input from
cortex, summarized, 200, 201
efference copy, 187
frontal eye fields, 199
mechanoreceptors of neck muscles, 187, 200
pulvinar, 200, 201
retina, 187, 200
semicircular canals, 187, 199, 200
responses to vestibular stimulation, 193, 194
sensory, 197
somatosensory, 197
tendons and/or joints, 187, 200
thalamus, 192, 199
visual, 199, 200
monitor movement of head in space, 199, 200
neck receptor responses, 196, 197
direction-selective, 197
origin in muscle spindle and tendon mechanoreceptors, 196, 197
NOT organized in planes parallel to semicircular canals, 200
optokinetic response, synergistic and antagonistic, 194, 195
preferred planes of response, 194
somatosensory input, 197
sensory inputs, 197
techniques for activating, 188, 189
unrelated to saccades, 199
unresponsiveness to static tilt, 199
populations to generate eye movements in three dimensions, 152
pretectal, response to retinal disparity, 180
motion-detection system, 154, 166
regularly discharging, 53
reticulospinal, 217
vestibular, networks, 155, 156
vestibular nucleus, 240
anterior canal neurons projecting to oculomotor system, plane of activation, 208, 209
posterior canal neurons projecting to oculomotor system, plane of activation, 209
related to neck and eye muscles, 203
second-order neurons projecting to oculomotor system, intracellular recordings, 207, 208
vestibular, response vectors to otolith stimuli, 24, 25
vestibulospinal neurons, response vector during rotation, 212, 216–227
VTRZ, 170-179
Newton-Muller-Gudden Law, crossing fibers in optic nerve, definition, 159
Noncommutative multiplication, for determining saccadic position, 139
Nucleus
of the optic tract (NOT), 79–81, 89, 90, 180–186, 240
cells, 182, 184
electric stimulation, 79–81
input to parietoinsular vestibular cortex, 200, 201
responses of cells in various species, 180
vestibular, 24. *See also* Vestibular nucleus
inferior, 24
lateral, Deiters, 24, 47
medial, 47
neurons activated by tilt and roll, 24–27
representation of visual space, 156–159
Nystagmus, 2, 29, 47, 48
after-nystagmus, 2, 74–90
compensatory, during head tilt, 115–117

Nystagmus *(continued)*
dominant time constant, 74
fast phases, 140–153
gaze, 108
gravity dependence, 7, 74–90
horizontal, 7, 74–77
horizontal from vertical canals, 7
off-vertical axis rotation (OVAR), 7, 96
optokinetic after-nystagmus (OKAN), 74–90
cross-coupling, horizontal to roll, 76–90
cross-coupling, horizontal to vertical, 76–90
gyroscopic mechanism, 90
optokinetic (OKN), 74–90, 108, 109, 243
relation to nucleus of the optic tract, 180
temporo-nasal symmetry and asymmetry, 180
torsional, 108, 109
per-rotatory, 39
pitch while rotating, 7
postrotatory, 39, 44, 46
effects of weightless on time constant (tau), 95–98
prolonged when gravitational force is increased, 244
shorter in microgravity, 244
roll. *See* Torsion
secondary after-nystagmus, 78–90
torsional, 6, 76–90, 108, 109, 243
vertical, 78–90, 243
vertical asymmetry, 7
vestibular, 46, 243

Ocular counterrolling, 86, 89, 105–127
gain in humans and monkeys, 86, 105–127. *See also* Torsion
roll in tertiary positions of gaze, 109
static gain, 106
Oculogyral illusion, 61. *See also* Illusion
Oculomotor system, 239, 241, 245
Off-vertical axis rotation (OVAR), 7, 23–25, 29, 39, 40, 42, 44–48, 88, 89, 96, 243
OKAN. *See* Optokinetic after-nystagmus *and* Nystagmus
OKN. *See* Optokinetic nystagmus *and* Nystagmus
One-dimensional internal feedback models of saccades, 134, 135–138
One-dimensional subtractive feedback model for saccades, 128, 134–138
Optic flow, excitatory and inhibitory for neurons in MTN and VTRZ, 117–179
Optic nerve, 159, 160
crossed fibers, percentages, 159–161
Optimal control theory, 51–71, 244
Optimal estimator, 51–71
Optokinetic after-nystagmus (OKAN), 39, 44, 46, 47, 74–90.
cross-coupling, horizontal to roll and vertical, 243
See also Nystagmus, optokinetic after-nystagmus
Optokinetic nystagmus (OKN), 46, 47, 74–90
torsional, 108, 109
See also Nystagmus, optokinetic
Optokinetic response of vestibular neurons, 157–159
visual on-directions of anterior and posterior canal neurons, 159
Optokinetic system, 154
Orientation perception model, 51. *See also* Model
Orienting movements
initiated from resting postures, 223
privileged planes for, 233
stereotyped, 228
tectospinal, tectoreticular contributions, 233, 234
Orthogonality of the canal system, 239
Otolith, 1, 21–28, 89, 243
afferents, 29, 53
coordinate system, 22, 52
firing rate, 53
angle of utricular maculae at rest in vertebrates, 230
cell activation, 35, 45
influences on eye and body movements, 243
input, 46, 47
to the spinal cord, 243
macula, 29, 32, 48
model, 53
ocular reflexes, 88, 89
organs, 21–27, 29, 31, 46
unresponsiveness of parietoinsular vestibular cortex to tilt, 200
OVAR. *See* Off-vertical axis rotation

Parabolic flight, 93–98, 243
Parallel commands to eyes, ears, and neck during orienting movements, 233
Parallel planes, principle of, 239
Parallel processing, 48
Paramedian pontine reticular formation (PPRF), 140, 142, 147, 149
coding principle, 152
on-directions of neurons, 152
Parietal cortex, 240
Parietoinsular vestibular cortex (PIVC), 187–202
connections to other regions of brain, 192, 193
homology to anterior suprasylvian sulcus of cat, 188

human, 187
localization, 190–192
monkey, 187–202
prefrontal cortex, 192, 199
projection to superior colliculus, 192, 199
vestibular input, 192, 199
Pattern velocity estimation
estimator, 43, 44, 46, 47
formula, 40
Pendulum
inverted, head as, 54, 55
torsion, 53
Perception
motion, 244
multisensory model, 55, 56
Perceptual phenomena, 244
Periprimary range, 5
Per-rotatory nystagmus, 39
Phylogeny, of vestibulo-ocular reflex, 159, 161, 165
Physical space, representation in central nervous system, 154
Pitch
axis, definition, 21
bias in coding
during off-vertical axis rotation, 24
roll over pitch, 24–27
neural populations coding pitch vs. roll, 23
while rotating, 7, 46
PIVC. *See* Parietoinsular vestibular cortex
Plane, earth-horizontal, 21
Plane of head movement parallels plane of activated canal, 216
Planes of eye muscles and semicircular canals, 241
Plugging, semicircular canals, 24–27
Polarization vector, 22, 23, 31–35
functional, 22
hair cell, 22, 23
Posterior canal, 208
Postrotatory illusion of motion, passive vs. active, 102, 103
Postrotatory nystagmus, 39, 44, 46
Postural mechanism, antigravity, 21
Posture
as a determinant of rotation of articulations in cervical column, 233
facilitating orientation, 230
hemilabyrinthectomy, 228, 234–236
underlying eye-head coordination, 228–237
PPRF. *See* Paramedian pontine reticular formation
Preferred direction, NOT neurons, 180–185
Preferred velocity, NOT neurons, 184
Prefrontal cortex, input to parietoinsular vestibular cortex, 192, 199
Pretectum, 180.
neuronal responses to visual stimuli in three-dimensional space, 180
See also Nucleus, of the optic tract
Principal component analysis, 13
Principle of parallel planes, 239
Projections of canals to neck motoneurons, 226
Proprioception, 54, 240, 244
effects on perception of hand and body motion, 101
neck, 101
Purkinje, J., 102, 103

Quadripedal gait, 242
Quadripedal stance of cats, 27
Quaternions, 128–139
angular velocity vectors, coordinate system, 129
definition, 128, 139
eye velocity vectors, 139
four-component rotational operators, 128
model of the saccadic system, 128, 135, 138
multiplicative computation of motor error, 128
plot, 136
technique for computing eye position quaternions, 129
vector of eye position, related to Listing's plane, 130

Rabbit, 74, 170–172, 177, 178, 240
freeze position, 171
Range of motion of cervical articulations in guinea pig, 230–234
Rapid eye movement, 149. *See also* Saccades
Reafference hypothesis, 102
Reference axes for coding head velocity, 239
Reference frame, head-fixed, 11
Reflexes, tilt, 24–27
Representation of movement in three dimensions, 239
Response vectors of eye and neck muscles, 203–213. *See also* Vector
Resting posture of vertebrates, 228–230
orienting movements initiated from, 233
Reticulospinal (RS) neurons, 217
Retina, two-dimensional mapping of the visual world, 241
Retinal disparity, lack of in NOT cells of monkeys, 180, 184
Retinal ganglion cells, 177, 179
Retinal slip, as input to model, 75
Retinal slip velocity, sensitivity of NOT neurons, 182, 183
Rexed's laminae, 219–226
Rhesus monkey. *See* Monkey, rhesus

Right hand rule, 12, 80, 82, 83, 207
  velocity vector of saccades, 128–130
riMLF. *See* Rostral interstitial nucleus of the medial longitudinal fasciculus
Robinson, scleral search coil, 106
Roll
  axis, definition, 21
  bias in coding over pitch, 24–27
  component of eye movement in humans, 105–127, 241
  neural populations coding roll vs. pitch, 23 (table)
  plane, 88
  See also Torsion
Rostral interstitial nucleus of the medial longitudinal fasciculus (riMLF), 140–147, 149–152
  inactivation with muscimol, 147
Rostral mesencephalon, 242
Rotation
  axes
    earth-horizontal, 18
    earth-vertical, 18
    of head, eyes, and ear are colinear and parallel to gravity, 230
    of saccades, 128–139
      tilted out of Listing's plane, 132–135
      See also Saccades
    to study VOR and VCR, 205, 211
  barbecue spit, 7, 33

Saccades, 112, 121–122, 140, 242
  are not two-dimensional, 139
  deviation of rotational axes from Listing's plane, 132
  generation in three-dimensions, 140–153
  rotation axes, 128–139
  three dimensions of rotation axes, 128
  torsional component, 130, 131–135, 138, 241
  trajectories, 131, 132
  vectors, 128–130, 140, 143, 144, 147, 151
  vertical, in rostral mesencephalon, 241
Saccadic eye velocity command, 128, 138
Saccule, 21–23, 31
  plane of, 21
SBN. *See* Neurons, burst, short-lead
Scalloping movement illusion, 99–102
Self-motion, 170, 177, 179
  possible sites of detection in three dimensions, 177
Self-rotation estimation, 51–71
Semicircular canals, 10–19, 24, 29, 141, 150, 154–156, 161, 164–166, 171, 177, 179, 204, 206–208, 211–213, 239, 241, 244
  activation vectors in the sagittal plane, 142
  adaptation, 53
  afferent activity, 10
  alignment
    of canal planes and eye-muscle pulling directions, 203, 204
    with eye-muscle pulling planes, 152
  anterior canal, 10–19
    angle of plane, 18, 19
  coding three mutually orthogonal vectors, 239
  common crus, 16
  coordinates, 1–3, 5, 10, 21, 52
  coordinate systems, 10, 11, 239, 242
  cosine function, 17
  damped torsion pendulum, 53
  dynamics, mechanical and afferent, 53
  firing rate of afferents, 53
  geometric relation to retinal ganglion cells and accessory optic system, 177–179
  geometry, 1, 5, 10, 154, 155, 239
  influence on processing of sensory input in visual and somatosensory systems, 245
  inputs to VCR in the cat, 211
  irregularly discharging neurons, 53
  left anterior–right posterior (LA-RP) plane 3, 6, 242
    functional plane, 17, 18
    null point, 17
  lateral semicircular canals, 18, 19, 239, 240, 242
    angle of plane, 18, 19
    oriented close to movement plane at rest, 230
    pitch at rest, 230
  matrix and tensorial models of canal–eye muscle geometry, 204
  model, 53, 71
  Money-Scott technique for plugging, 1, 3
  orientation, 2, 5, 10, 21
  orientation of vertical canals in rabbit in "freeze position," 171
  orthogonality of, 1, 5
  otolith reflexes with intact, 20–27
  parietoinsular vestibular cortex, 187–202
    unrelated response planes, 200
  planes in rhesus monkey, 10–19
  planes of, 32
  plugging, 1, 3, 23, 24
    Money-Scott technique, 1
  posterior canal, 10–19, 152
    angle of plane, 18, 19
  push-pull pairs, 14, 16
  regularly discharging neurons, 53
  right anterior–left posterior (RA-LP) plane, 3, 6, 242
  three-dimensional motion detectors, 154

vertical, 46, 140, 147, 152
orientation in rabbit in "freeze position," 171
visual receptive fields of second-order canal neurons, 157
Sensitivity vectors, 10–19. *See also* Semicircular canals *and* Vectors
definition, 10, 12
tables of canal vectors, 14
Sensory motor transformations, visual, vestibular, oculomotor, 166
Short-lead burst neurons. *See* Neurons, burst, short-lead
Signals represented in the vestibular system, 244
Sinusoidal rotation to study vestibulo-ocular connections, 204–207, 210, 211, 213
Skeletal geometry, including use of cineradiography for measurement of posture, 228–238
Skylab
astronauts, 93, 95
M-131 experiment, 93, 99
Slow-phase eye velocity, 41, 45
Space flight, 89, 243–244, 245
Space motion sickness, 89
Spatial focusing, to otolith stimulation, 27
Spatial horizontal plane, 243
Spatial organization of VOR connections, 203
Spatial recalibration due to changes in head-in-space position, 187
Spatial transformation of activity from semicircular canals to eye muscles, 203
Spatial vertical plane, 243
Spinal accessory nucleus, 223
Spinal cord, 24, 216, 221
anterior commisure, crossing of LVST axons, 220
do long-descending motor tract axons exert their effects only at one segment level? 226
Spinal interneurons, roll and pitch responses, 24–27
Static tilt illusion, 244
Statoacoustic nerve. *See* Vestibular nerve
Stereotaxic planes
coronal, binaural, 11
horizontal, 11, 12, 14
Horsley-Clark, 11, 12, 14, 16
midsagittal, 11, 12
vertical, 21
Stereotyped resting posture in vertebrate species, 228
is energy efficient, 230
Subcortical visual system, 79, 240
of primates, 240
of the rabbit, 240
Superior colliculus, 152, 242
Synaptic contacts of LVST axons, 223
Synergies, muscle, to simplify motor coordination, 213

Tactile contribution to perception of motion, 54–56, 64
Tactile model, 54
Tectospinal, tectoreticular neurons, contribution to orienting movements, 233
Template matching, 34, 36, 45, 48
Template pattern, 36, 45, 46, 48
Terminal arborizations of LVST axons, medial type, 219
Terminal boutons of LVST axons, 222
Termination of secondary vestibular neurons in the cervical spinal cord, 242
Tertiary positions of gaze, torsion, 109–111
Thalamic input to parietoinsular vestibular cortex, 192, 199
Thoracic vertebrae
contribution to flexion and rotation of head, 230–234
rotation after hemilabyrinthectomy, 234, 235
Three-dimensional framework for the oculomotor system, 241
Three-dimensional gaze behavior during torsional pursuit, 113, 114
Three-dimensional multiplicative feedback quaternion model, 134
Three-dimensional organization of human gaze, 105–127
Three-dimensional reconstruction of vestibulospinal neurons, 217
Three-dimensional representation
body position in space, 93, 102
eye position, 128
Three-dimensional rotation of eyes, 139
Three-dimensional rotations of eyes combined by noncommutative muliplication, 139
Three-dimensional subtractive feedback quaternion model, 134
Tilt
discrimination, 124
illusion, 63, 67
illusion in fore-aft axis, 63
reflexes, 24–27
suppression, 46
Torsional component of saccades, 241
deviation of saccades from Listing's plane, 131–135
from quaternions, 130, 132, 134, 135, 138
Torsion, ocular, 105–127, 141, 142, 144, 145, 147–152
characteristics of human, 105–127

Torsion, ocular *(continued)*
difficulty in recording, 105
direction, 148
drift in primary position, 107, 108
dynamic counterrolling, 115–117
dependence on semicircular canal stimulation, 115
gain of static occular counterrolling, 106
gaze nystagmus, 108
hysteresis, 113
integrator, 147
ipsilateral deficits after unilateral rostral midbrain lesions, 241
and Listing's Law in tertiary positions of gaze, 109–111
mechanical limits, 122
nystagmus, compensatory during head tilt, 115–117
optokinetic nystagmus, 108, 109
quadrant, 145
recording technique, 105–107
saccades, 112, 121–122
significance to vision, 122, 123
static counterrolling, 114
vector, 29
visual contribution to gain, 116, 117
Torsion pendulum, 53
Translational kinematics, inadequate for describing oculomotor system, 139
Traveling wave pattern, 32, 48
Two-dimensional organization of human gaze, 105
Two-dimensional role of counterroll, 123

Utricle, 21–23, 31, 33
maculae, angle at rest, 230

VCR. *See* Vestibulocollic reflex
Vection
circularvection, 53, 60–62, 64, 66, 67
definition, 53
linearvection, 53, 64, 66, 244
Vectorial coding, otolith neurons, 23–27
Vectorial representation of eye- and neck-muscle pulling directions, 203–215
Vectors, 130
angular eye velocity vector, 16
according to right hand rule, 129
have three degrees of freedom, 139
averaged for semicircular canals, 19
canal-based coordinate frame in the vestibular nuclei, 242
coding properties, spinal interneurons, 25, 26
conflict, 67
direction coding, 23
eigen, 88
excitation, 35
eye velocity during OKN and OKAN, 80–84, 90
eye velocity vectors from quaternion model, 139
functional polarization, definition, 22
moment unit, of the extraocular muscles, 142
morphological polarization vectors of hair cells, 22, 23
response of central vestibular neurons, 24
response of eye muscles, 207
response of neck muscles, 210
saccade, 128–130, 140, 143, 144, 147, 151
sensitivity, 10–19
spatial distribution, 22
three-dimensional rotation, 140
torsional, 29
unit for semicircular canals, 12, 19, 140
vestibulospinal response to otolith stimuli, 25
Velocity, angular head, vector, 10
Velocity estimation, 243
Velocity estimator. *See* Pattern velocity estimation
Velocity storage, 51, 60
gravitational effects, 74–90
gyroscopic action, 243
integrator, 41, 43–46, 74–90
input from NOT neurons, 185
one-dimensional model, 75
three-dimensional model, 75
in weightlessness, 96–99
Ventral funiculus, 219, 221
Ventromedial nucleus, 223
Vertebrate labyrinth, 154, 155, 161
Vertebrates, 154
Vertical and roll optokinetic and vestibular nystagmus, 243
Vertical eye muscles, convergent input from semicircular canals, 206
Vertical saccades in the rostral mesencephalon, 241
Vertical semicircular canal input to vertical and horizontal eye muscles, 206
Vestibular apparatus, 21
Vestibular cortex
diagram, 190, 191
human, 188
monkey, 187–202
See also Parietoinsular vestibular cortex
Vestibular model, 53, 57, 58, 64, 66
Vestibular nerve, 23
regularly and irregularly discharging neurons, 53
response vectors to otolith stimulation, 24
Vestibular neurons
networks, 155, 156
response vectors to otolith stimuli, 24, 25

Vestibular nuclei, 23, 240
coding body position and velocity in space, 244
inferior, 24
lateral, 24
representation of visual space, 156–159
signals of eye position and eye velocity in the head, 244
Vestibular nystagmus. *See* Nystagmus, vestibular
Vestibular systems, 177, 241
planes of response, 21
relation of AOS to geometry of semicircular canals, 177–179
Vestibular time constants, monkey and human, 98
Vestibulocerebellum, 240, 242, 244
zonal organization in folia in canal planes, 242
Vestibulocollic reflex (VCR), 203, 209–213, 216–227
closed-loop negative feedback system, 209
differences from vestibulo-ocular reflex, 209
electromyographic activation
acceleration signal at high freqeuncies, 203
angular position signal at low frequencies, 203
geometrical features and constraints, 236
morphological basis, 216, 223–227
neural responses, 213. *See also* Neuron pathways, 216
response to rotation at different frequencies, 213
spatial transformations in, 203, 209–213
Vestibulo-ocular reflex (VOR) 1–8, 51, 74, 88, 141, 143, 145, 151, 154–156, 164, 166, 180, 203–210, 213, 241–243
compensatory, 1, 2
differences from vestibulocollic reflex, 209
electromyography, a rotational velocity signal in decerebrate cats, 203
horizontal, central neural connections, 204
multidimensional analysis, 10
neurons, 159
open-loop, 209
phylogeny, 159, 161, 165
plasticity, 152
three-dimensional model, 75
visual modification of, 180
in weightlessness, 96–99
Vestibulospinal (VS) system, 21
axons, 216. *See also* Medial vestibulospinal tract *and* Lateral vestibulospinal tract
neurons, 216–227
collaterals, morphology, and arborizations, 219–223
divergent properties of single axons, 216
identification, 217
influence on forelimb and hindlimb motoneurons, 226
morphology, 217, 219
project to cervical and lumbar cord, 216
stem axons and primary collaterals, 217–219
projections, 243
response vectors to otolith stimuli, 25
in roll and pitch, 25–27
Visual aftereffects of motion, 102
Visual axis, 105
Visual cortex, 240
Visual field movement, best rotational axes for vestibular neurons, 157
Visual input to velocity storage, 75
Visual orientation of hypercolumns in visual cortex, 123
Visual space, central representation, 156–159, 180
Visual stimuli, 180
Visual system, 152, 239, 240, 241, 243, 245
Visual tegmental relay zone (VTRZ), 170–179
neurons, 175–177
characteristics of receptor field sensitivity, 176
relation to dorsal cap of inferior olive, 176
Visual-vestibular interaction, 56–71, 74–90
VOR. *See* Vestibulo-ocular reflex
VTRZ. *See* Visual tegmental relay zone

Weightlessness, 89, 244

Yaw axis, dominance for velocity storage, 89

Index of Contributors

Akbarian, S., 187–202

Baker, J. F., 203–215
Berndl, K., 187–202
Berthoz, A., 228–238
Borah, J., 51–73

Cohen, B., vii, 74–92, 239–247
Collewijn, H., 105–127
Curry, R. E., 51–73

De Waele, C., 228–238
DiZio, P., 93–104

Ferman, L., 105–127
Futami, T., 216–227

Graf, W., 154–169, 228–238
Grüsser, O.-J., 187–202
Guldin, W., 187–202

Henn, V., vii, 1–9, 10–20, 140–153
Hepp, K., 140–153
Hoffmann, K. P., 180–186

Lackner, J. R., 93–104
Leonard, C. S., 170–179

Ohgaki, T., 216–227

Pause, M., 187–202
Perlmutter, S. I., 203–215
Peterson, B. W., 203–215

Raphan, T., 29–50, 74–92
Reisine, H., 10–20

Schnabolk, C., 29–50
Schor, R. H., 21–28
Schreiter, U., 187–202
Shinoda, Y., 216–227
Simpson, J. I., 10–20, 170–179
Soodak, R. E., 170–179
Sugiuchi, Y., 216–227

Tweed, D., 128–139

Van den Berg, A. V., 105–127
Vidal, P. P., 228–238
Vilis, T., 128–139, 140–153

Young, L. R., 51–73

ANNALS OF THE NEW YORK ACADEMY OF SCIENCES

Volume 545
December 26, 1988

REPRESENTATION OF THREE-DIMENSIONAL SPACE IN THE VESTIBULAR, OCULOMOTOR, AND VISUAL SYSTEMS[a]

Editors and Conference Organizers
BERNARD COHEN AND VOLKER HENN

CONTENTS

Foreword. *By* BERNARD COHEN and VOLKER HENN vii

Representation of Three-Dimensional Space in the Vestibular, Oculomotor, and Visual Systems: Introduction. *By* V. HENN 1

Part I. Structure, Coding, and Perceptual Effects in the Vestibular System

A Geometric Analysis of Semicircular Canals and Induced Activity in Their Peripheral Afferents in the Rhesus Monkey. *By* H. REISINE, J. I. SIMPSON, and V. HENN 10

Spatial Transformation of Horizontal Linear Acceleration by the Cat Vestibulospinal System. *By* ROBERT H. SCHOR 21

Modeling Slow Phase Velocity Generation during Off-Vertical Axis Rotation. *By* THEODORE RAPHAN and CHARLES SCHNABOLK 29

Optimal Estimator Model for Human Spatial Orientation. *By* JOSHUA BORAH, LAURENCE R. YOUNG, and RENWICK E. CURRY 51

Organizational Principles of Velocity Storage in Three Dimensions: The Effect of Gravity on Cross-Coupling of Optokinetic After-Nystagmus. *By* THEODORE RAPHAN and BERNARD COHEN 74

Gravitational Effects of Nystagmus and on Perception of Orientation. *By* JAMES R. LACKNER and PAUL DIZIO 93

Part II. Three-Dimensional Coding in the Oculomotor and Visual Systems

The Behavior of Human Gaze in Three Dimensions. *By* H. COLLEWIJN, L. FERMAN, and A. V. VAN DEN BERG 105

Rotation Axes of Saccades. *By* DOUGLAS TWEED and TUTIS VILIS 128

On the Generation of Rapid Eye Movements in Three Dimensions. *By* K. HEPP, T. VILIS, and V. HENN 140

[a]The papers in this volume were presented at the Symposium on Representation of Three-Dimensional Space in the Vestibular, Oculomotor, and Visual Systems, which was held by the Bárány Society in Bologna, Italy on June 3, 1987.

Motion Detection in Physical Space and Its Peripheral and Central Representation. By W. GRAF 154

The Accessory Optic System: Analyzer of Self-Motion. *By* J. I. SIMPSON, C. S. LEONARD, and R. E. SOODAK 170

Responses of Single Neurons in the Pretectum of Monkeys to Visual Stimuli in Three-Dimensional Space. *By* K. P. HOFFMANN 180

Responses of Single Neurons in the Parietoinsular Vestibular Cortex of Primates. *By* S. AKBARIAN, KATHARINA BERNDL, O.-J. GRÜSSER, W. GULDIN, M. PAUSE, and URSULA SCHREITER 187

Part III. Vestibulospinal and Skeletal Motor Coding

Comparison of Spatial Transformation in Vestibulo-ocular and Vestibulocollic Reflexes. *By* J. F. BAKER, S. I. PERLMUTTER, and B. W. PETERSON 203

Structural Basis for Three-Dimensional Coding in the Vestibulospinal Reflex: Morphology of Single Vestibulospinal Axons in the Cervical Cord. *By* Y. SHINODA, T. OHGAKI, Y. SUGIUCHI, and T. FUTAMI 216

Skeletal Geometry Underlying Head Movements. *By* P. P. VIDAL, C. DE WAELE, W. GRAF, and A. BERTHOZ 228

Representation of Three-Dimensional Space in the Vestibular, Oculomotor, and Visual Systems: Concluding Remarks: *By* BERNARD COHEN 239

Subject Index 249

Index of Contributors 263

Financial assistance was received from:

- THE EUROPEAN SPACE AGENCY
- THE NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

The New York Academy of Sciences believes it has a responsibility to provide an open forum for discussion of scientific questions. The positions taken by the participants in the reported conferences are their own and not necessarily those of the Academy. The Academy has no intent to influence legislation by providing such forums.